





NEON FLEX

INSPIRATION INFORMATION OF
MIDOOC GROUP
COLLECTION

PRODUCT CATALOGUE



OX
SCRIPT

version 3.2

Bud Stage Business Experience Since 2007
Tissue Fission Stage Since 2020

MIDOOC GROUP PROFILE

At Midooc Group, we have a strong focus on our customer's needs. We pride ourselves on excellence in the manufacturing of fine quality multi-industry products. Our company is committed to continuous improvement, so our products consistently satisfy the needs and want of our customers.





www.midooc.com



MidoocGroup








CONTENTS

The Sun and Moon Lake Range (6*6mm)	05
Mount Huang Range (10*10mm)	06
The Gardens of Suzhou Range (12*12mm)	07
Yellow Crane Tower Range (14*14mm)	08
Lijiang River Range (16*16mm)	10
Potala Palace Range (20*14mm)	12
Dujiang Dam Range (20*20mm)	14
The Temple of Heaven Range (25*17mm)	17
The Imperial Palace Range (27*20mm)	18
West Lake Range (30*20mm)	20
Grand Canal Range (70*30mm)	22
Yangtze River Range (100*30mm)	23
Yuexiu Park Range (3*8mm)	24
Stone Forest Range (8*16mm)	26
Kailas Range (12*20mm)	28
The Great Wall Range (10*23mm)	30
Mount Tai Range (12*25mm)	32
The Moat Range (Φ20mm)	35



All rights reserved. Without the prior written permission of the publisher, any part of this guide may not be reprinted or copied in any way or by any means.

If you have any suggestions or comments, please contact:

Publisher: Midooc Group Limited

Mail: we@midooc.com

Web: www.midooc.com





Product Features



Dimmable LED Technology
Wiring with electronic dimmable driver.



Luminaire Ingress Protection Rating
IP68



IK08 Protection
IK08



UV Protection
Protected against UV.



Flame Resistant
Fire resistant material.



Saltwater Resistant
Protected against saltwater.



Solvent Resistant
Solvent resistant material.



Warranty
3 year warranty.

HB Horizontal Bending

VB Vertical Bending

Correlated Color Temperature (CCT)



2500K



Red



2700K



Green



3000K



Blue



3500K



RGB



4000K



RGBW



4500K



Dynamic White




5000K



5700K








6500K





The Sun and Moon Lake Range

Silicone Neon Flex (6*6mm)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
SML	6*6	VB	Optional	3	39	180°





ACCESSORIES PROFILE

Top End	End Cap	3M Tape
---------	---------	---------



Mount Huang Range

Silicone Neon Flex (**10*10mm**)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
MH	10*10	VB	Optional	6	85	120°







ACCESSORIES PROFILE

Top End (Direct/Side) End Cap Aluminum Clip Aluminum Profile Flexible Profile



The Gardens of Suzhou Range

Silicone Neon Flex (12*12mm)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
GS1	12*12	VB	Optional	8	105	120°
GS3	12*12	VB	Optional	8	102	180°








ACCESSORIES PROFILE

Top End (Direct/Side) End Cap Aluminum Clip Aluminum Profile Flexible Profile



Yellow Crane Tower Range

Silicone Neon Flex (14*14mm)





PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
YCT1	14*14	VB	Optional	10	198	120°
YCT3	14*14	VB	Optional	10	204	180°










ACCESSORIES PROFILE


Top End (Direct)	End Cap	Aluminum Clip	Aluminum Profile
------------------	---------	---------------	------------------



Lijiang River Range

Silicone Neon Flex (16*16mm)





PRODCUT PROFILE





Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
LR1	16*16	VB	Optional	10	185	120°
LR3	16*16	VB	Optional	10	180	180°
LR1s	16*16	HB	Optional	10	230	120°

ACCESSORIES PROFILE

Top End (Direct/Side/Down)	End Cap	Aluminum Clip	Aluminum Profile	Flexible Profile
----------------------------	---------	---------------	------------------	------------------

Potala Palace Range

Silicone Neon Flex (20*14mm)





PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
PP1	20*14	VB	Optional	12	198	120°
PP3	20*14	VB	Optional	12	204	180°


ACCESSORIES PROFILE

Top End (Direct)	End Cap	Aluminum Clip	Aluminum Profile	Flexible Profile
------------------	---------	---------------	------------------	------------------






Dujiang Dam Range


Silicone Neon Flex (**20*20mm**)



DD1



DD3





PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
DD1	20*20	VB	Optional	10/12	257	120°
DD3	20*20	HB	Optional	10	305	120°

ACCESSORIES PROFILE

Top End (Direct/Side) End Cap Aluminum Clip Aluminum Profile









The Temple of Heaven Range

Silicone Neon Flex (25*17mm)



PRODCUT PROFILE


Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
TH	25*17	VB	Optional	10/12	320	120°

ACCESSORIES PROFILE

Top End (Direct) End Cap Aluminum Clip Aluminum Profile


The Imperial Palace Range

Silicone Neon Flex (27*20mm)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
IP	27*20	VB	Optional	15	390	120°







ACCESSORIES PROFILE

Top End (Direct) End Cap Aluminum Clip Aluminum Profile

West Lake Range

Silicone Neon Flex (30*20mm)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
WL	30*20	VB	Optional	15	395	120°







ACCESSORIES PROFILE

Top End (Direct) End Cap Aluminum Clip Aluminum Profile



Grand Canal Range

Silicone Neon Flex (**70*30mm**)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
GC	70*30	VB	Optional	30	1270	120°






ACCESSORIES PROFILE

Top End (Direct)	End Cap	Aluminum Clip
------------------	---------	---------------



Yangtze River Range

Silicone Neon Flex (100*30mm)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
YR	100*30	VB	Optional	20*2	2000	120°

ACCESSORIES PROFILE

Top End (Direct)




End Cap

Aluminum Clip

Aluminum Profile

Yuexiu Park Range

Silicone Neon Flex (3*8mm)







PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
YP	3*8	HB	Optional	5	28.5	120°





Stone Forest Range

Silicone Neon Flex (8*16mm)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
SF	8*16	HB	Optional	8	98	180°





ACCESSORIES PROFILE

Top End (Direct) End Cap Aluminum Clip Aluminum Profile Flexible Profile


Kailas Range

Silicone Neon Flex (**12*20mm**)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
K	12*20	HB	Optional	10	180	120°




ACCESSORIES PROFILE

Top End (Direct/Side)	End Cap	
Aluminum Clip	Aluminum Profile	Flexible Profile

The Great Wall Range


Silicone Neon Flex (10*23mm)



PRODCUT PROFILE


Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
GW	10*23	HB	Optional	10	185	270°








ACCESSORIES PROFILE

Top End (Direct/Side) End Cap
Aluminum Clip Aluminum Profile Flexible Profile



Mount Tai Range

Silicone Neon Flex (12*25mm)



PRODCUT PROFILE


Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
MT	12*25	HB	Optional	10	215	270°



ACCESSORIES PROFILE

Top End (Direct/Side) End Cap

Aluminum Clip Aluminum Profile Flexible Profile








The Moat Range

Silicone Neon Flex (Φ**20mm**)



PRODCUT PROFILE

Type	Size mm	Bending Direction	Operating Voltage	PCB Width mm	Weight g/m	Beam Angle
M	Φ20	VB	Optional	10	237	270°

ACCESSORIES PROFILE

Top End (Direct)	End Cap	Plastic Clip
------------------	---------	--------------







Sales and Product Inquiries

MIDOOC GROUP



CANC@MIDOOC.COM WWW.MIDOOC.COM